


1/5


Fig.1.



t-TEST PERFORMED AT 5% LEVEL:

C vs N+C  $t = -2.95$  $p = 0.026$   $\therefore$  SIGNIFICANTLY DIFFERENTN vs N+C  $t = -4.15$  $p = 0.006$   $\therefore$  SIGNIFICANTLY DIFFERENT

Fig.2.



2/5

Fig.3.

A)

ANTIBODY CONJUGATED N-TERMINAL  
 $\alpha$ -TOXIN FRAGMENT

ANTIGEN PRESENTING TARGET CELL  
 (CANCER CELL)

N  
 □  
 A

B)

ANTIBODY BINDING

C)

ADMINISTER C-TERMINAL  $\alpha$ -TOXIN  
 FRAGMENT

RESTORATION OF ENZYME ACTIVITY  
 AT THE TARGET CELL SURFACE


C  
 □  
 A

D)

ADMINISTER LIPOSOME CONTAINING  
 ANTI-CANCER AGENT

E)


$\alpha$ -TOXIN MEDIATED LIPOSOMAL LYSIS  
 (LIPO-BURST) RESULTS IN LOCALISED  
 RELEASE OF ANTI-CANCER AGENT



3/5


Fig.3b.

A)

ANTIBODY CONJUGATED  
 $\alpha$ -TOXINANTIGEN PRESENTING TARGET CELL  
(CANCER CELL)

B)

ANTIBODY BINDING



C)

ADMINISTER LIPOSOME CONTAINING  
ANTI-CANCER AGENT

D)


 $\alpha$ -TOXIN MEDIATED LIPOSOMAL LYSIS  
(LIPO-BURST) RESULTS IN LOCALISED  
RELEASE OF ANTI-CANCER AGENT

Fig.4.

A) ABSENCE OF ANALYTE



B) PRESENCE OF ANALYTE




Fig.5.




Fig.6.





Fig.7.

